

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24759

Stream : Cedar Creek

Applicant : Paradise Cove LLC  
Jason Weisler  
1000 East 80th Place, Suite 700 North  
Merrillville, IN 46410-5676

Lake County Surveyor's Office  
George Van Til  
2293 North Main Street  
Crown Point, IN 46307-1854

Description : A detention pond will be constructed along the north bank of Cedar Creek as part of Phase I of the Paradise Cove residential development. The pond will be approximately 225' long and will vary in width from 175' on the southwest side and decreasing to approximately 30' on the east side. The top of the berm will be at elevation 694.1 and will have a width approximately 8' - 10' with a maximum height of 4' at the outfall location. The pond will impound approximately 1.66 acre feet. A pedestrian trail will be constructed on top of the detention pond berm. The trail will begin at 138th Lane and will continue south and around the detention pond with an outlet to Cedar Creek. Details of the project are contained in information and plans received at the Division of Water on March 12, 2008, March 26, 2008 and May 2, 2008.

Location : Between Lake Shore Drive & Morse Street, north of Binyon Road & south of 139th Lane, north of Cedar Creek  
DOWNSTREAM: at Cedar Lake, Center Township, Lake County  
SW¼, Section 26, T 24N, R 9W, Lowell Quadrangle  
Quad Code: 4108734  
UTM Coordinates: Downstream 4579482 North, 464326 East  
UPSTREAM:  
UTM Coordinates: Upstream 4579644 North, 464416 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24799

Stream : Spring Creek

Applicant : Matt Kelley  
494 North County Road 700 West  
Frankfort, IN 46041-7016

Description : A small permanent stream crossing is proposed using 16" of riprap, 3" of number 53 rock and Nonwoven Geotextile material. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on April 9, 2008.

Location : Approximately 1150' west and 1275' south of the West County Road 100 North and the North County Road 450 West intersection  
DOWNSTREAM: near Frankfort, Center Township, Clinton County  
NW¼, SE¼, NW¼, Section 1, T 21N, R 2W, Frankfort Quadrangle  
Quad Code: 4008635  
UTM Coordinates: Downstream 4460841 North, 534531 East  
UPSTREAM: Clinton County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24803

Stream : Burns Ditch

Applicant : City of Portage Port Authority  
6070 Central Avenue  
Portage, IN 46410-3501

Description : Sediment will be removed from approximately 8150' of Burns Ditch to a depth varying from 0.3' to 4.5' below the current streambed. A hydraulic dredge will remove the sediment. Details of the project are contained in information and plans received at the Division of Water on April 10, 2008 and May 12, 2008.

Location : At the US 12 stream crossing  
DOWNSTREAM: at Portage, Portage Township, Porter County  
SW $\frac{1}{4}$ , SE $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 25, T 37N, R 7W, Portage Quadrangle  
Quad Code: 4108752  
UTM Coordinates: Downstream 4607150 North, 485300 East  
UPSTREAM: at Portage, Portage Township, Porter County  
NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , NE $\frac{1}{4}$ , Section 2, T 36N, R 7W, Portage Quadrangle  
Quad Code: 4108752  
UTM Coordinates: Upstream 4605400 North, 483800 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24820

Stream : Junk Ditch

Applicant : Fort Wayne Parks and Recreation  
Dawn Ritchie  
705 East State Boulevard  
Fort Wayne, IN 46805-3457

Description : Approximately 8700' of 12' wide paved pedestrian trail will be constructed adjacent to the stream. Additional work in the floodway will include: 2 single span pre-fabricated bridges with a span lengths of 65' and 77' will be constructed for the new Towpath Trail stream crossings. A proposed storm sewer system that captures flow from nearby ditches will outfall near the 77' pedestrian bridge to convey surface water from adjacent fields. The sewer will outfall onto a 10' by 10' area lined with riprap over geotextile fabric. Also, an existing 18" pipe that conveys surface water from the south side of the proposed trail to the ditch will be replaced in the same location. The pipe will outfall onto a 10' by 10' area lined with riprap over geotextile fabric. A new culvert crossing will be placed in Millers #3 ditch to carry Towpath Trail across the ditch. The new crossing will consist of 37' of 48" CMP and 2 pipe anchors. Details of the project are contained in information and plans received at the Division of Water on April 22, 2008.

Location : Trail Improvements Phase II-B - Impacts located approx. 1150' west of the int of Covington Rd & Ardmore Ave., 3800' SW of the same int., 900' NE of the int. of Engle Rd & Smith Rd  
at Fort Wayne, Wayne Township, Allen County  
NW¼, Section 18, T 30N, R 12E, Fort Wayne West Quadrangle  
Quad Code: 4108512  
UTM Coordinates: Downstream 4546218 North, 651349 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24821

Stream : Beaver Dam Ditch

Applicant : Olthof Homes, LLC  
Joe Lenehan  
8051 Wicker Avenue, Suite A  
St. John, IN 46373-9390

Description : Approximately 1 mile of the Main Beaver Dam Ditch channel will be realigned and straightened to provide sufficient conveyance to contain the 100-year frequency flood. The new channel will be approximately 10' deep, with a varying bottom width. Also, a new culvert crossing will be placed in the stream to carry a proposed road across the ditch. The new crossing will consist of an 8' diameter reinforced concrete culvert. In addition, the existing 6' diameter culvert carrying Farm Road over the stream will be replaced with a new culvert system to reduce upstream flood damages. The new crossing will consist of three reinforced concrete culverts measuring 4', 6', and 4' in diameter. Details of the project are contained in information and plans received at the Division of Water on April 24, 2008.

Location : beginning approximately 3100' east of the intersection of Blaine Street and 101st Avenue and extending 4700' east and 6100' north  
near Crown Point, Center Township, Lake County  
SE¼, NW¼, SE¼, Section 36, T 35N, R 9W, St. John Quadrangle  
Quad Code: 4108744  
UTM Coordinates: Downstream 4587852 North, 466165 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24826

Stream : Pigeon Creek

Applicant : City of Evansville, Water & Sewer Utility  
Harry H Lawson  
1 NW Martin Luther King Jr. Boulevard  
Evansville, IN 47708-1806

Description : A 36" ductile iron water main and 6" force main will be installed beneath Pigeon Creek. The proposed water main is to be open cut construction and the force main is proposed to be directionally drilled. Each main will have 8 feet of cover beneath the streambed and 5 feet of cover at the banks. All bore pits and other open cut installations are to be restored to pre-disturbed ground conditions following construction. Rip-rap will be keyed into banks where the open cut construction is proposed. Details of the project are contained in information and plans received at the Division of Water on May 2, 2008.

Location : Beginning approximately 245' north of the North First Avenue stream crossing and extending 65' east and 560' south along the east side of North First Avenue  
DOWNSTREAM: near Evansville, Pigeon Township, Vanderburgh County  
NW¼, SW¼, SE¼, Section 18, T 6S, R 10W, Evansville South, IN-KY Quadrangle  
Quad Code: 3708785  
UTM Coordinates: Downstream 4205445 North, 449571 East  
UPSTREAM:  
UTM Coordinates: Upstream 4205436 North, 449579 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24832

Stream : St. Joseph River

Applicant : Timothy J Brassell  
11372 Jefferson Rd  
Osceola, IN 46561-9122

Description : Approximately 45' of the St. Joseph River's eroded north streambank will be stabilized with natural river rock placed over a geotextile fabric to protect the bank from further erosion. The natural river rock will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 4', a maximum streamward projection of 2' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on May 9, 2008 and in plans and information received at the Division of Water on

Location : Along the North bank of the St. Joe River, spanning 45' of the property located at 11372 Jefferson Road

Property is identified as Key #14-1044-0789

Section 08, Range 4E, Township 37N, Osceola Quadrangle

Coordinates 41°40'35.67"N 86°05'18.26"W

near Osceola, Penn Township, St. Joseph County  
Section 8, T 37N, R 4E, Osceola Quadrangle  
Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24833

Stream : St. Joseph River

Applicant : Jane Allen  
55928 River Shore Estates  
Elkhart, IN 46516-1201

Description : Approximately 100' of a channel, off the St. Joe River, eroded west (right) streambank will be stabilized with natural river rock placed over a geotextile fabric to protect the bank from further erosion. The natural river rock will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 4', a maximum streamward projection of 2' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on May 9, 2008 and in plans and information received at the Division of Water on

Location : Along the west bank of a channel off the St. Joe River, spanning the entire 100' property of 55928 River Shore Est  
at Elkhart, Baugo Township, Elkhart County  
Section 2, T 37N, R 4E, Osceola Quadrangle  
Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24834

Stream : Elkhart River

Applicant : Richard L Thompson  
57069 Raider Drive  
Elkhart, IN 46516-5664

Description : Approximately 80' of eroded east (right) streambank will be stabilized with riprap to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 10', a maximum streamward projection of 4' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on May 12, 2008 and in plans and information received at the Division of Water on

Location : Along the east (right) bank of the Elkhart River approximately 12,000' downstream from the County Rd.18 bridge crossing  
near Elkhart, Concord Township, Elkhart County  
NE¼, NW¼, NE¼, Section 15, T 37N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24835

Stream : East Arm Little Calumet River

Applicant : City of Portage Port Authority  
6070 Central Avenue  
Portage, IN 46410-3501

Description : Sediment will be removed from approximately 3200' of the East Arm of Little Calumet River to a depth varying from 0.3' to 4.5' below the current streambed. A hydraulic dredge will remove the sediment. Details of the project are contained in information and plans received at the Division of Water on April 10, 2008 and May 12, 2008.

Location : Approximately 400' downstream of the SR 249 stream crossing and continuing approximately 3200' upstream  
DOWNSTREAM: at Portage, Portage Township, Porter County  
NE¼, NE¼, SW¼, Section 36, T 37N, R 7W, Portage Quadrangle  
Quad Code: 4108752  
UTM Coordinates: Downstream 4606550 North, 485450 East  
UPSTREAM: at Portage, Portage Township, Porter County  
SE¼, NE¼, SE¼, Section 36, T 37N, R 7W, Portage Quadrangle  
Quad Code: 4108752  
UTM Coordinates: Upstream 4606450 North, 486675 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24839

Stream : St. Joseph River

Applicant : John E Alter  
54078 Eastview Drive  
Bristol, IN 46507-9720

Description : Approximately 85' of the St Joe River's eroded north streambank will be stabilized with natural river rock placed over a geotextile fabric to protect the bank from further erosion. The natural river rock will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 4', a maximum streamward projection of 2' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on May 14, 2008 and in plans and information received at the Division of Water on

Location : Along the North bank of the St. Joe River, spanning the entire 85' property located at 54078 Eastview Dr

Property is identified as  
Key #20-03-31-228-007.000-030  
East View Subdivision

Section 31, Range 6E, Township 38N, Bristol Quadrangle

Coordinates 41°42'29"N 85°52'24"W  
near Bristol, Washington Township, Elkhart County  
Section 31, T 38N, R 6E, Bristol Quadrangle  
Quad Code: 4108567

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : LM-159

Lake : Lake Michigan

Applicant : BP Products North America Inc  
Daniel J. Sajkowski  
2815 Indianapolis Boulevard  
PO Box 710  
Whiting, IN 46394-0710

Description : A 36" PCCP (pre-stressed cylindrical concrete pipe) diffuser pipe will be installed under the bed of Lake Michigan in approximately 26' of water depth, located approximately 3500' from the shoreline. The diffuser head is approximately 390' long with 12 active ports and risers and 2 capped ports, extending about 3' above the lake bed. The pipe extending from the shoreline to the diffuser pipe will be buried 3' to 5' under the lake bed, with stone and bed cover. Details of the project are contained in information and plans received at the Division of Water on May 7, 2008.

Location : At the BP Products, NA Whiting Refinery Wastewater Treatment Plant  
DOWNSTREAM: at Whiting, North Township, Lake County  
SW¼, SE¼, NE¼, Section 8, T 37N, R 9E, Whiting Quadrangle  
Quad Code: 4108764  
UTM Coordinates: Downstream 4614017 North, 460430 East  
UPSTREAM:  
UTM Coordinates: Upstream 4614874 North, 461223 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway Rule, 312 IAC 6

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21015

Lake : Pike Lake

Applicant : Michael L Miller  
1613 Springhill Road  
Warsaw, IN 46580-1809

Description : A new glacial stone seawall will be constructed across 138' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information received electronically at the Division of Water on April 29, 2008 and in plans and information received at the Division of Water on

Location : 1613 Springhill Road  
near Warsaw, Wayne Township, Kosciusko County  
SE¼, NE¼, SW¼, Section 4, T 32N, R 6E, Leesburg Quadrangle  
Quad Code: 4108537  
UTM Coordinates: Downstream 4567459 North, 597582 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : PL-21019
- Lake : Big Chapman Lake
- Applicant : Tamatha Kehler  
47 EMS C18 Lane  
Warsaw, IN 46582-9197
- Description : A 273' seawall refacing is proposed. An existing concrete seawall will be refaced with 12" of concrete to the lakeward side. There is 273' of shoreline on the lake. There is 226' of channel front. An 80' long by 5' wide walk will be removed and an 80' by 5' by 5" poured concrete walkway will be installed landward of seawall. Stone will be needed for toe protection. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on May 1, 2008.
- Location : 47 EMS, C18 Lane; approximately 2500' west and 1000' north of the County Road 325 East and the County Road 300 North intersection  
DOWNSTREAM: near Warsaw, Plain Township, Kosciusko County  
NW¼, SE¼, SE¼, Section 26, T 33N, R 6E, Leesburg Quadrangle  
Quad Code: 4108537  
UTM Coordinates: Downstream 4570660 North, 601375 East  
UPSTREAM: Kosciusko County
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-21024
- Lake : Simonton Lake
- Applicant : Rick Goddard  
2701 Autumn Trails Drive  
Mishawaka, IN 46544-6723
- Description : A new concrete seawall will be constructed across 61' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 5, 2008, May 7, 2008 and May 12, 2008.
- Location : 50960 North Shore Drive  
near Elkhart, Osolo Township, Elkhart County  
NE¼, SE¼, SE¼, Section 8, T 38N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568  
UTM Coordinates: Downstream 4622939 North, 585715 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21027

Lake : Round Lake

Applicant : Irma Graham  
3247 Magley Lane  
Columbia City, IN 46725-7702

Description : A new concrete seawall will be constructed across 125' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 7, 2008.

Location : 3247 Magley Lane  
near Columbia City, Thorncreek Township, Whitley County  
NE¼, NW¼, SE¼, Section 12, T 32N, R 9E, Columbia City Quadrangle  
Quad Code: 4108524  
UTM Coordinates: Downstream 4566904 North, 631662 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21031

Lake : Syracuse Lake

Applicant : John E Mahnken  
4630 East Fox Run Drive  
Syracuse, IN 46567-9164

Description : An existing 40' wide, approx. 500' long channel off syracuse Lake will be restored at the north end only to its original condition. Approximately 15' of accumulated muck and debris will be removed from the channel bed by dredging to a depth of 12' below the normal level of the lake at the center of the channel and sloping uniformly to a depth of 2' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will not be allowed to return to the lake. Details of the project are contained in information received electronically at the Division of Water on May 8, 2008 and in plans and information received at the Division of Water on

Location : East shore of Syracuse Lake, area where lake flows behind the island on the rth side  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-21036

Lake : Simonton Lake

Applicant : Pamela J Duncan  
51165 Blue Ribbon Lane  
Elkhart, IN 46514-8106

Description : A new seawall will be constructed along the frontage of the applicant on Simonton Lake to deter shoreline erosion. The wall will be composed of 2" to 12" diameter glacier stones and will be approximately 208' long. Its lakeward face will be at the legal shoreline of the lake. Additionally, a 40' long by 4' wide permanent cantilevered walkway will be constructed parallel to the shoreline. Details of the project are contained in information received electronically at the Division of Water on May 12, 2008 and in plans and information received at the Division of Water on

Location : Along the Simonton Lk channel frontage of 51165 Blue Ribbon Lane near Elkhart, Osolo Township, Elkhart County  
SW¼, NW¼, NW¼, Section 15, T 38N, R 5E, Elkhart Quadrangle  
Quad Code: 4108568

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11